

FIG. 1




FIG. 2

VOICE CARD F.C.O. / CPU SET 650

302

304

124

104

120a

106

308

MESSAGE  
FILE

DATA  
FILE

310

122

120b

— Voice  
- - - Data

FIG. 3




Fig. 4




Fig. 5

335

455 ~	MESSAGE FILE ID
458 ~	ORIGINATING TELEPHONE NUMBER
461 ~	DESTINATION TELEPHONE NUMBER
464 ~	DATE AND TIME OF RECORDED MESSAGE
467 ~	TIME OF LAST DELIVERY ATTEMPT
470 ~	TIME OF NEXT DELIVERY ATTEMPT
473 ~	PREFERRED TIME RANGE
476 ~	RETRY COUNT ASSOCIATED WITH BUSY SIGNAL ENCOUNTER
479 ~	RETRY COUNT ASSOCIATED WITH RING-NO-ANSWER ENCOUNTER
482 ~	RETRY COUNT ASSOCIATED WITH COMMUNICATION PROBLEM ENCOUNTER
485 ~	DELIVERY ATTEMPT FREQUENCY ASSOCIATED WITH BUSY SIGNAL ENCOUNTER
488 ~	DELIVERY ATTEMPT FREQUENCY ASSOCIATED WITH RING-NO-ANSWER CONDITION ENCOUNTER
491 ~	DELIVERY ATTEMPT FREQUENCY ASSOCIATED WITH COMMUNICATION PROBLEM ENCOUNTER
494 ~	RESULT OF LAST ATTEMPT
497 ~	ORIGINATING CARRIER ID

⋮

09948867, 073401

Fig. 6A




Fig. 6B

FROM STEP 533  
IN Fig. 6A

